

Display Unit Report

Equipment Group: IFLT
Date and Time: 09/04/2019 - 09:07:36 AM EDT

Flags Legend	
Mandatory Value	
ETC-Gen	
Rating	

General

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Status Code	USCD		A	A - ACTIVE	
Mechanical Designation	UMMD		FC	FC - Flat-Intermodal (Standard, Low Profile, Stack)	
Equipment Descriptor	B341		FCC	FCC - Standard Intermodal	
Equipment Type Code	UMET		P882	P882	
Maint of Way Service Type	B403				
Built Date	BLDT		19800901	09/01/1980	
Rebuilt / ILS Date	RBDT				
Owner	UMOW		SOXX		
Lessee	LESE				
Maintenance Party	MNPT		SOXX		
Mark Owner Category	B201		B	B - US Private	
Last Update Date	B122		20180410	04/10/2018	
Equipment Add Date	B082		20121217	12/17/2012	
Status Change Reason	USCR		O	O - Status Changed Manually	
Status Change Date	USCT		20130322	03/22/2013	
Extended Service	A096		E	E - Built new from July 1,1974, Qualified for 50 Years Service	
End of Service Date	B078		20300901	09/01/2030	
Equipment Identification	EINN		0000915455	0000915455	
Info Conflict Status	B355				
Conflict Status	B050				
Date of Original Conflict	B063				
Next Conflict Status	B135				
Notice Indicator	B137				
Conflict Status Next Date	B062				
Rate Indicator	A070		2	2 - Private Mileage Rate	
Private Zero Rate	B150				
TTX Hourly Rate	B212				
TTX Mileage Rate	B213				
First Movement Date	USAT		20160625	06/25/2016	
Equipment Add Company	B083				
Registration Reason	B174		R	R - Restencil	
Restencil Program Ind	B177				
Non-Compliant Wheelsets	B544				
Pseudo Equipment Group	B547				

Weight

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Gross Rail Load/Weight	A266		286000	286000 lb	
Tare Weight	A259		61800	61800 lb	
Load Limit	LDLT		224200	224200 lb	
Weighing Status	A289		A	A - Actual	
Weighing Date	A288		20051024	10/24/2005	
Star Code	A247				
Qual for Inc GRL	B344		2	2 - Rule 88 IGRL Code 2 (> 263,000 lbs. and <= 286,000 lbs. GRL)	

Dimension

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Plate Code	A046		B	B - Plate Code B	
Outside Length	OSLG		1029	85 ft 9 in	
Outside Extreme Width	A186		116	9 ft 8 in	
Outside Extreme Height	A185		103	8 ft 7 in	
Outside Height Extr Width	A187		35	2 ft 11 in	
Inside Length	A135		965	80 ft 5 in	
Inside Width	A138		105	8 ft 9 in	
Inside Height	A133				

Truck Center Length	A276		792	66 ft 0 in	
Platform Hght Above Rail	A192		42	3 ft 6 in	
Bulkhead Top Width	B038				
Bulkhd Height Abov Pltfrm	B035				
Well Interior Width	B226				
Well Interior Length	B229				
Well Length Not Defined	B301				

Specification

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Truck Count	B256		2	2	
Axle Count	A024		4	4	
Wheel Bearing Type	B191		R	R - Roller	
Connector Manufacturer	B545				
Deck Container Securement	B546				
Bearing Shielded From HBD	B021				
Brake Shoe Type	B026		H	H - High Friction Composite	
CC Side Bearing Type	A146		SC	SC - Short Travel Constant Contact	
Empty/Load Device Eqpd	B075				
Center Of Gravity Empty	A045				
Remote Monitoring Device	B176				
TOFC/COFC Load Wdth Cde	B283		2	2 - 8 feet 6 inches	
Intermodal Transport Serv	B287		CO	CO - Container Only	
Single Lngth Load Config	B288		DC2	DC2 - DBL CNTR 2-40ft or 4-20ft containers and various combinations	
Stack Design Not Defined	B299				
Truck Tonnage Capacity	B300				
Securement Type ETC Gen	B302				
AEI High Temperature Tag	B006				
Connected Unit Count	A020				
Intermediate Conn Style	B115				
Operating Brakes	A182		1	1 - 1	
ECP Brake Type	B327				
ECP Brake Builder	B328				
Slack Adjuster Group	B538				
Brake Cylinder Mount Type	B540				
Equipment Builder	A035				
Builder Lot Code	B030				
Built Country	B031				
Rebuilt Country	B170				
FRA Reflectorization	B096		P	P - Reflectorization Plan	
Air Hose Arrangement	B524				
4-Port ABT Receiver Eqpd	B539				

Feature

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Floor Material	A104		19	19 - Standard Steel	
Bridge Plate Type	B029				
Portable Brdge Plate Cap.	B284				
Bulkhead Type	B034				

Cost

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Original Cost	A184		53093	53093 usd	
Ledger Value	A150		53093	53093 usd	
Total A&B	A003				
Ind for Pos/Neg Total A&B	A128				

Car Management

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Pool Number	P001		0000000	0000000	
Pool Control	TCPC				
User Routing Instructions	TCUR				
Umler Transportation Code	TCOD				
Transportation Cond Code	TCCD				

Mechanical Restriction	TCME			
Mech Restriction Reason	TCMR			
Sys Gen Routing Inst	TCGR			

Train Service

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Restricted Speed Empty	B180				
Restricted Speed Loaded	B181				
Shove Car To Rest	B189				
Shove Adj. Car To Rest	B188				
Train Position Sensitive	B211				
End of Train Only	B277				
Check Trailing Tonnage	B044				
Curve Negotiate Exception	B178				
Cooper Rating Exception	B273				
Clearance Exception	B275				
Loaded Net Braking Ratio	B551		8.5	8.5 - 8.5	
Ownc-Prvd Ld Net Brkng Ro	B552				
Empty Braking Ratio	B553		15.7	15.7	
Ownc-Prvd Empty Brkng Ro	B554				

Miscellaneous

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Commercial Owner CIF	B049				
Commercial Lessee CIF	B048				
Umler Effective Date	EFDT		20130101	01/01/2013	

Inspection Due Dates

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
ABT Due Date	DU13		20190404	04/04/2019	
ABT 5-8 Year Due Date	DU58		20230401	04/01/2023	













Inspection Air Brake Test (ABT)













Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20180404	04/04/2018	
Inspection Performer	PERF		RESX	RESX	
Inspection Reporter	REPT		RESX	RESX	
Location/SPLC	SPLC		504450000	504450000	

Inspection Reflectorization Event (REF)

Element Name	ID	Flags	DB Value	Formatted Value	Conflict
Inspection Date Done	DTDN		20051128	11/28/2005	
Inspection Performer	PERF		RAIL	RAIL	
Inspection Reporter	REPT		RAIL	RAIL	
Location/SPLC	SPLC		411657000	411657000	

Component Flat View

Element Name	Loc	ID	Flags	DB Value	Formatted Value	Conflict	Comp.
Axle Spacing Distance	01	B020	 	70	70 - 70 Inches in		AXLESPACE
Axle Spacing Distance	02	B020	 	70	70 - 70 Inches in		AXLESPACE
Truck Axle Count	B	B252		2	2		TRUCK
Truck Axle Count	A	B252		2	2		TRUCK
Journal Size	B	A147	 	F	F - 6-1/2 X 12		TRUCK
Journal Size	A	A147	 	F	F - 6-1/2 X 12		TRUCK
Wheel Diameter	B	A294		36	36 - 36 Inches		TRUCK
Wheel Diameter	A	A294		36	36 - 36 Inches		TRUCK
Stability Device Equipped	B	B199		Y	Y - Yes		TRUCK
Stability Device Equipped	A	B199		Y	Y - Yes		TRUCK
Wheelset Component ID	1	B350		8RIC0000225368	8RIC0000225368		WHEELSET
Wheelset Component ID	2	B350		C4660000028284	C4660000028284		WHEELSET
Wheelset Component ID	3	B350		CPWW0000162136	CPWW0000162136		WHEELSET

Wheelset Component ID	4	B350		8RIC0001151395	8RIC0001151395		WHEELSET
Coupler Code	B	A057		SBE69AE	SBE69AE - Type E/F (Rule 17) - SBE69AE		DRAFTSYS
Coupler Code	A	A057		SBE69AE	SBE69AE - Type E/F (Rule 17) - SBE69AE		DRAFTSYS
Coupler Style	B	B058	 	P	P - Plain		DRAFTSYS
Coupler Style	A	B058	 	P	P - Plain		DRAFTSYS
Inches of Travel	B	B061		15	15 in		DRAFTSYS
Inches of Travel	A	B061		15	15 in		DRAFTSYS
Draft System Type	B	B073	 	E	E - Cushioning at End of Car (EOC)		DRAFTSYS
Draft System Type	A	B073	 	E	E - Cushioning at End of Car (EOC)		DRAFTSYS
Draft Gear/Cushion Un Grp	B	B562					DRAFTSYS
Draft Gear/Cushion Un Grp	A	B562					DRAFTSYS
Draft Gear/Cushion Un Typ	B	B563					DRAFTSYS
Draft Gear/Cushion Un Typ	A	B563					DRAFTSYS
Coupler Component ID	B	B353		8WCN108140315 8	8WCN108140315 8		COUPLER
Unit Equipment Group	B	A307					UNITSEG
Unit Tare Weight	B	A299					UNITSEG
Unit Load Limit	B	A300					UNITSEG
Unit Inside Length	B	A301					UNITSEG
Side Wall Height	B	B195					UNITSEG
Lower Clearance Outline	B	B128					UNITSEG
Hitches per unit	B	B140					UNITSEG
CONT Loading Cap	B	A054					UNITSEG
Trailer Loading Capacity	B	A272					UNITSEG
Wdth Btween Ext. Rub Rail	B	B209					UNITSEG
Number of Handbrakes	B	B138					UNITSEG
Intermodal Loading Method	B	B286		LO	LO - Lift On-Lift Off		UNITSEG
Circus Loading Method	B	B517					UNITSEG
Side Loading Method	B	B518					UNITSEG
Inter-Box Securement	B	B113					UNITSEG
IFLT 20ft Container Lmt	B	B548					UNITSEG
IFLT 20 Ft Cont Capable	B	B549		N	N - No		UNITSEG